## **CLAIM AMENDMENTS**

## **Claim Amendment Summary**

## Claims pending

. Before this Amendment: Claims 1-24.

• After this Amendment: Claims 1-24.

Non-Elected, Canceled, or Withdrawn claims: None

Amended claims: Claims1, 7, 13, and 19.

New claims: None.

Claims:

1. (Currently Amended) A method implemented at least in part by a

computing device for enumerating applications by a remote client computer, the applications being deployed in an Intranet, the remote client computer being

external to the Intranet, the method comprising:

sending a remote application discovery request from the remote client

computer to a Web service using simple object access protocol, the Web service

being deployed on a remote applications publication (RAP) Web server in the

Intranet, the remote application discovery request being sent to the Web service

by the remote client computer via a public network coupling the remote client

computer to the Web server; and

responsive to the sending, receiving a discovery response from the Web

service, the discovery response identifying [at least one application]  $\underline{an}$ 

 $\underline{aggregate\ list\ of\ remote\ applications\ across\ multiple\ accessor\ modules}\ installed$ 

on the Intranet for terminal server (TS) based access by a user of the remote

client computer.

2. (Original) A method as recited in claim 1, wherein the sending and

receiving are independent of a Virtual Private Network connection between the

remote client computer and the Intranet.

Serial No.: 10/722,181 Atty Docket No.: MS1-1787US Atty/Agent: Jason F. Lindh RESPONSE TO FINAL OFFICE ACTION

lee hayes The Business of IP™
www.leelages.com 500 324 9258

 (Original) A method as recited in claim 1, wherein the at least one application is multiple applications, respective ones of the multiple applications having been published by multiple information sources on the Intranet.

4. (Previously presented) A method as recited in claim 1, wherein the

at least one application is multiple applications, respective ones of the multiple

applications having been published by multiple information sources on the

Intranet, the multiple information sources comprising one or more of a directory

service, a Systems Management Server (SMS), and an office computer

associated with the user.

5. (Previously presented) A method as recited in claim 1, wherein

responsive to receiving the discovery response from the Web service, the remote

client computer presents respective shortcuts to the user, each shortcut

corresponding to an individual one of remote applications identified in the

discovery response, each shortcut being selectable by the user to invoke a

terminal service, the terminal service executing a corresponding remote

application on an associated installation point on the Intranet.

6. (Original) A method as recited in claim 5, wherein the shortcuts

represent a merged view of the remote applications, the merged view being

independent of respective ones of one or more installations points on the

Intranet.

lee@hayes The Business of IP 14

7. (Currently Amended) A computer-readable medium comprising computer-executable instructions for enumerating applications by a remote client computer, the applications being deployed in an Intranet, the remote client computer being external to the Intranet, the computer-executable instructions comprising instructions for:

sending a remote application discovery request <u>from the remote client</u> <u>computer</u> to a Web service <u>using simple object access protocol</u>, the Web service being deployed on a remote applications publication (RAP) Web server in the Intranet, the remote application discovery request being sent to the Web service by the remote client computer via a public network coupling the remote client computer to the Web server; and

responsive to the sending, receiving a discovery response from the Web service, the discovery response identifying [at least one application] an aggregate list of remote applications across multiple accessor modules installed on the Intranet for terminal server (TS) based access by a user of the remote client computer.

- 8. (Original) A computer-readable medium as recited in claim 7, wherein the instructions for sending and receiving are independent of a Virtual Private Network connection between the remote client computer and the Intranet.
- (Original) A computer-readable medium as recited in claim 7, wherein the at least one application is multiple applications, respective ones of

lee@hayes The Business of IP 10

the multiple applications having been published by multiple information sources on the Intranet.

10. (Previously presented) A computer-readable medium as recited in

claim 7, wherein the at least one application is multiple applications, respective  $\frac{1}{2}$ 

ones of the multiple applications having been published by multiple information  $% \left( 1\right) =\left( 1\right) \left( 1\right) \left$ 

sources on the Intranet, the multiple information sources comprising one or

more of a directory service, a Systems Management Server (SMS), and an office

computer associated with the user.

11. (Original) A computer-readable medium as recited in claim 7,

wherein the computer-executable instructions further comprise, responsive to

receiving the discovery response from the Web service, instructions for

presenting respective shortcuts to the user, each shortcut corresponding to an individual one of remote applications identified in the discovery response, each

shortcut being selectable by the user to invoke a terminal service, the terminal

service executing a corresponding remote application on an associated

installation point on the Intranet.

12. (Original) A computer-readable medium as recited in claim 11,

wherein the shortcuts represent a merged view of the remote applications, the

merged view being independent of respective ones of one or more installations  $% \left( 1\right) =\left( 1\right) \left( 1\right) \left($ 

points on the Intranet.

lee@hayes The Business of IP<sup>TM</sup>

13. (Currently Amended) A remote client computer for enumerating applications deployed in an Intranet, the remote client computer being deployed external to the Intranet, the remote client computer comprising:

a processor; and

a memory coupled to the processor, the memory comprising computerprogram instructions executable by the processor and comprising instructions for:

sending a remote application discovery request <u>from the remote client</u> <u>computer</u> to a Web service <u>using simple object access protocol</u>, the Web service being deployed on a remote applications publication (RAP) Web server in the Intranet, the remote application discovery request being sent to the Web service by the remote client computer via a public network coupling the remote client computer to the Web server; and

responsive to the sending, receiving a discovery response from the Web service, the discovery response identifying [at-least-one-application] an aggregate list of remote applications across multiple accessor modules installed on the Intranet for terminal server (TS) based access by a user of the remote client computer.

14. (Original) A remote client computer as recited in claim 13, wherein the instructions for sending and receiving are independent of a Virtual Private Network connection between the remote client computer and the Intranet.

lee@hayes The Business of IP\*\*

15. (Original) A remote client computer as recited in claim 13, wherein the at least one application is multiple applications, respective ones of the multiple applications having been published by multiple information sources on the Intranet.

16. (Previously presented) A remote client computer as recited in claim 13, wherein the at least one application is multiple applications, respective ones of the multiple applications having been published by multiple information sources on the Intranet, the multiple information sources comprising one or more of a directory service, a Systems Management Server (SMS), and an office computer associated with the user.

17. (Original) A remote client computer as recited in claim 13, wherein the computer-program instructions further comprise, responsive to receiving the discovery response from the Web service, instructions for presenting respective shortcuts to the user, each shortcut corresponding to an individual one of remote applications identified in the discovery response, each shortcut being selectable by the user to invoke a terminal service, the terminal service executing a corresponding remote application on an associated installation point on the Intranet.

18. (Original) A remote client computer as recited in claim 17, wherein the shortcuts represent a merged view of the remote applications, the merged

lee@hayes The Business of IP To Manufactures and IP To Stranger Section 19 To Stranger Sect

view being independent of respective ones of one or more installations points on the Intranet.

19. (Currently amended) A remote client computer for enumerating applications deployed in an Intranet, the remote client computer being deployed

external to the Intranet, the remote client computer comprising:

means for sending a remote application discovery request from the remote client computer to a Web service using simple object access protocol, the Web

service being deployed on a remote applications publication (RAP) Web server in

the Intranet, the remote application discovery request being sent to the Web service by the remote client computer via a public network coupling the remote

client computer to the Web server; and

means for responsive to the sending, receiving a discovery response from

the Web service, the discovery response identifying [at least one application] an

aggregate list of remote applications across multiple accessor modules installed

on the Intranet for terminal server (TS) based access by a user of the remote client computer.

20. (Original) A remote client computer as recited in claim 19, wherein

the means for sending and receiving are independent of a Virtual Private Network connection between the remote client computer and the Intranet.

(Original) A remote client computer as recited in claim 19, wherein

the at least one application is multiple applications, respective ones of the

multiple applications having been published by multiple information sources on

the Intranet.

11

22. (Previously presented) A remote client computer as recited in claim 19, wherein the at least one application is multiple applications, respective ones of the multiple applications having been published by multiple information sources on the Intranet, the multiple information sources comprising one or more of a directory service, a Systems Management Server (SMS), and an office computer associated with the user.

23. (Original) A remote client computer as recited in claim 19, wherein the remote client computer further comprises, responsive to receiving the discovery response from the Web service, means for presenting respective shortcuts to the user, each shortcut corresponding to an individual one of remote applications identified in the discovery response, each shortcut being selectable by the user to invoke a terminal service, the terminal service executing a corresponding remote application on an associated installation point on the Intranet.

24. (Original) A remote client computer as recited in claim 23, wherein the shortcuts represent a merged view of the remote applications, the merged view being independent of respective ones of one or more installations points on the Intranet.